



SHIV PLASTO

Flexible Solutions for Every Industry



Complete Industrial Packing Materials including Air Bubble Film, Stretch Rolls, EPE Foam, Crosslink Foam, Foam Gaskets & BOPP Tape for safe and secure packaging solutions.

Our Products

EPE Foam Rolls



Lightweight, flexible, & shock-absorbing foam used for packaging, insulation, and product protection.

Features :

- Excellent cushioning
- Eco-friendly & recyclable
- Lightweight & flexible
- Thermal insulation
- Water resistant
- Chemical resistant

Property	Units	Values
Density	KG/M3	20 – 60
Tensile Strength	KG/Cm2	2.5 – 6.0
Elongation	%	40 – 100
Tear Strenght	KG / CM	Up to 0.7
Compression Strength	KG / Cm2	0.05 – 0.20
Compression Set	%	5 –10
Working Temp	0c	-40 to +75
Water Absorption	% By Volume	0.2 – 0.5
Surface Resistivity	OHMS / SQ	10 TO 10
Buboyancy	KG / M3	920 – 940
Thermal Conductivity	K.CAL/M.HR.°C	0.023 – 0.025
Fire Resistance	UL 94 HF – 1/2 FMVSS –302	Self – Extingushing
Chemical Resistance	-	Excellent

EPE Foam Sheet



High-performance foam sheets for cushioning, insulation, and protective packaging applications.

Features :

- Smooth surface finish
- Moisture resistant
- Flexible and easy to cut
- Reusable and recyclable
- Lightweight and durable
- Excellent cushioning Performance

Property	Units	Values
Density	KG/M3	20 – 60
Tensile Strength	KG/Cm2	2.5 – 6.0
Elongation	%	40 – 100
Tear Strenght	KG / CM	Up to 0.7
Compression Strength	KG / Cm2	0.05 – 0.20
Compression Set	%	5 –10
Working Temp	0c	-40 to +75
Water Absorption	% By Volume	0.2 – 0.5
Surface Resistivity	OHMS / SQ	10 TO 10
Buboyancy	KG / M3	920 – 940
Thermal Conductivity	K.CAL/M.HR.°C	0.023 – 0.025
Fire Resistance	UL 94 HF – 1/2 FMVSS –302	Self – Extingushing
Chemical Resistance	-	Excellent

Air Bubble Film



Lightweight packaging material for superior cushioning and shock protection.

Features :

- Lightweight & flexible
- Transparent & durable
- Moisture resistant
- Superior Cushioning
- Reusable & recyclable
- Shock Resistant

Property	
Bubble Diameter	10 mm
Bubble Density	8150 Nos. / Sq mt.
Maximum Width	1.5 mt
Length Available	up to 100mts.
1. Water Absorption	0.02% after 24 Hrs.
2. Chemical Resistance	Excellent
3. Thermal Conductivity	Very low
4. Transparancy	90%
5. Tenusile Elongation at break	More Than 200%
6. Bursting Strangth	More than 2500kg./cm3

Stretch Wrapping Film



Highly stretchable film for secure bundling, load stability, and product protection.


Features :

- High stretchability
- Dust Resistant
- Strong Load Support
- Glossy Finish
- Tear Resistant
- Cost-Effective

Property	Units	Values
Thickness	Micron	15 – 50
Stretchability	%	150 – 300
Tensile Strength	MPA	20 –40
Roll Width	MM	Custom
Tear Resistance	-	High
Moisture Resistance	-	Excellent

Our Products

Chemically Crosslinked Foam



Premium closed-cell foam for insulation, cushioning, and industrial protection.

Features :

- Smooth Finish
- Thermal Insulation
- Shock Absorbent
- Lightweight & Flexible
- Chemical Resistant
- Long-Lasting

Property	
Density	60 – 70 kg/m
Thickness	2mm to 50 mm
Size	2000 mm x 1000 mm 1000 mm x 1000 mm 1000 mm x 500 mm
Colour	Natural wWhite, Black, Other Colours On request
Compression Set	14%
Static Loading below 500 C	14 KN/SQM
Temperature Extremes	-70°C to 80°C
Thermal Conductivity	0.040 w/m°C
WVTR	5 gr/SQM/24 hrs/50 mm thick
Tensile Strength	710 KN / SQM
Elongation at Break	100%

EVA Sheets



Soft, flexible EVA sheets for cushioning, flooring, packaging, and industrial applications.

Features :

- Soft & Flexible
- Shock Absorbent
- Water Resistant
- Smooth Finish
- Lightweight & Durable
- Easy to Fabricate

Property	
Density	60 – 70 kg/m
Thickness	2mm to 50 mm
Size	2000 mm x 1000 mm 1000 mm x 1000 mm 1000 mm x 500 mm
Colour	Natural wWhite, Black, Other Colours On request
Compression Set	14%
Static Loading below 500 C	14 KN/SQM
Temperature Extremes	-70°C to 80°C
Thermal Conductivity	0.040 w/m°C
WVTR	5 gr/SQM/24 hrs/50 mm thick
Tensile Strength	710 KN / SQM
Elongation at Break	100%

Bopp Tape



High-strength tape for secure sealing, packaging, & logistics applications.

Features :

- Strong Adhesion
- High Strength
- Moisture resistant
- Secure Holding
- Multiple Sizes & Colors
- Smooth Unwinding

Foam Fabrication & Fitment



Customized foam solutions for cushioning, insulation, shock absorption, & product protection.

Features :

- Custom Designs
- Superior Cushioning
- Lightweight & Durable
- Shock Resistant
- Moisture Resistant
- Easy Handling

Expanded Polyethylene Foam Net



Flexible foam net for protecting delicate products during storage and transportation.

Features :

- Superior Cushioning
- Lightweight & Flexible
- Soft Finish
- Shock Resistant
- Reusable & Eco-Friendly
- Moisture Resistant

EP Foam Tube



High-quality foam tubes for cushioning, insulation, and edge protection across industries.

Features :

- Shock Absorbent
- Lightweight & Flexible
- Smooth Finish
- Dust & Moisture Resistant
- Reusable & Eco-Friendly
- Long-Lasting

Why Shiv Plasto?

Shiv Plasto provides durable and high-performance foam & packaging solutions with a strong focus on quality, customization, and timely delivery for various industries.



Our Strengths



**Premium Quality
Materials**



**Custom Packaging
Solutions**



**Timely Bulk
Delivery**



**Advanced Manufacturing
Setup**



**Reliable Industrial
Support**



**Durable & Cost-
Effective Products**



SHIV PLASTO

Flexible Solutions for Every Industry

Our Contact



+91 986 011 8928



shivplasto83@gmail.com



<https://mkevents.co.in/sp/>



Bajrang Nagar, Ambad-Satpur Link Road, Nigal Mala,
Nashik, Maharashtra – 422010, India.